

Fabricated Porcelain Surfaces 1.0

From complex cut-to-size requests to bespoke kitchens, bathrooms, offices and furniture, every designer and every project can now take advantage of the stunning beauty, unrivalled choice and superior technical performance of state-of-the-art porcelain stoneware.



Vanity Units




Kitchen Countertops




Furniture



Steps & Staircases



Cut-to-Size



Bespoke Products









Fabricated Porcelain Surfaces 1.0 Overview





DLBFX 08 Soft





DOMUS


« Back to colours

Bera & Beren Slab

Bera & Beren Slab takes inspiration from
Portuguese and Catalan limestone. This
fabricated porcelain slab range has a refined,
minimal character in a timeless stone-look
palette. The natural tones demonstrate a subtle
shade variation with meticulous surface detail.



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLBFX 09 Honed







« Back to colours

Bera & Beren Slab



Slab Size: 3240 x 1600mm Working Size:

3200 x 1560mm



3D-Fit® Technology

Corelith® Technology




DLBFX 02 Soft

« Back to colours

Bera & Beren Slab



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



Bera & Beren Slab



DLBFX 07 Soft




Corelith®
Technology



« Back to colours

Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLBCX 07 Soft Textured



DOMUS


« Back to colours

Blanc Slab

The Blanc Slab marble-look fabricated porcelain range showcases purity and elegance with clear tones and a soft textured finish. It captures the beauty of marble without imperfections. Refined and timeless, it offers enhanced durability and style.




Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLBCX 02 Soft Textured

3D-Fit® Technology

Blanc Slab



Slab Size:

3240 x 1600mm 3200 x 1560mm

Working Size: Thickness: 12mm

« Back to colours

DOMUS




DLBCX 03 Soft Textured


DOMUS

« Back to colours

Blanc Slab



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLENX 01 Soft Textured



Corelith® Technology

DOMUS

« Back to colours

Eme Slab

Inspired by the warmth and richness of coastal Mediterranean stones, Eme Slab is a fabricated porcelain slab range that combines detailed yet harmonious graphics with a contemporary palette to generate a luxurious and calming aesthetic.



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLENX 02 Soft Textured





Eme Slab



Slab Size: 32
Working Size: 32

3240 x 1600mm 3200 x 1560mm

Thickness: 12mm





DLKNX 01 Soft Textured / Honed





DOMUS



Kendo Slab

Kendo Slab draws inspiration from the protected stone of the Bavarian Jura Mountains, formed from marine deposits. This fabricated porcelain slab range depicts dark-coloured organic-shaped markings with an extraordinary richness of intensities.



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm




DLKNX 02 Soft Textured / Honed



Corelith®
Technology


Kendo Slab



Slab Size: Working Size: 3240 x 1600mm 3200 x 1560mm

Thickness: 12mm





DLONX 01 Soft Textured







« Back to colours

Noon Slab

Noon Slab is a soothing fabricated porcelain range of delicate stone-look slabs with fossil inclusions that reveal, under close inspection, a unique manually-chiselled appearance traditionally found only from exclusive stone quarries.



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLONX 02 Soft Textured



Corelith® Technology

DOMUS

« Back to colours

Noon Slab



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLDAX 01 Soft Textured / Honed





Oda Slab

Oda Slab is a range of fabricated porcelain slabs with colours designed to help create contemporary and timeless settings while paying homage to the natural material. The products include soft, nuanced shading in the form of fossils of various sizes.



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm

Thickness: 12mm





DLDAX 03 Soft Textured / Honed





Oda Slab



Slab Size: Working Size: 3240 x 1600mm 3200 x 1560mm

Thickness: 12mm





DLVEX 05 Cross Cut Honed



Corelith® Technology

DOMUS

« Back to colours

Verso Slab

Verso Slab is inspired by travertine, a sedimentary rock formed in thermal waters and waterfalls. This fabricated porcelain slab range features Cross Cut, showcasing the cross-section of sediment layers cut along the grain in a honed finish.



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm



DLVNX 01 Soft Textured / Honed





Vonn Slab

Inspired by nature's efficiency, Vonn Slab is a fabricated porcelain range that replicates the pure essence of stone. Its advanced manufacturing allows seamless architectural continuity in diverse interior projects, from residential to commercial.



3240 x 1600mm Working Size: 3200 x 1560mm

Thickness: 12mm

Slab Size:





DLVNX 04 Honed





Vonn Slab



Slab Size: 3240 x 1600mm Working Size: 3200 x 1560mm

Thickness: 12mm



Technical Data

Glazed Porcelain (BS EN 14411 – Group BIa)

DIMENSION & SURFACE QUALITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Length & Width	BS EN ISO 10545-2	± 0.60% (max. ± 2.0mm)	Conforms
Thickness	BS EN ISO 10545-2	± 5% (max. ± 0.5mm)	Conforms
Planarity (Flatness)	BS EN ISO 10545-2	± 0.50% (max. ± 2.0mm)	Conforms

All test results are based upon current test data provided by the manufacturer and are provided in good faith. Domus Group cannot be held responsible for any variation in the test data due to changes in manufacture or material characteristics. Errors and omissions excepted. Please refer to Domus Group Terms & Conditions of Sale. **April 2025**.

PRODUCT QUALITY & DURABILITY


Technical Characteristics	Industry Standards	Requirement	Actual Value
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	0.1% (Typical Value)
Impact Resistance	BS EN ISO 10545-5	Declared Value	≥ 0.80 (Typical Value)
Linear Thermal Expansion Coefficient	BS EN ISO 10545-8	Declared Value	≤7 x 10-6 / °C-1 (Typical Value)
Thermal Shock Resistance	BS EN ISO 10545-9	No Visible Defects	Resistant
Frost Resistance	BS EN ISO 10545-12	No Surface Alteration	Resistant
Chemical Resistance: Low Concentrations of Acids & Alkali	BS EN ISO 10545-13	No Visible Defects	GLA
Chemical Resistance: High Concentrations of Acids & Alkali	BS EN ISO 10545-13	No Visible Defects	GHA
Chemical Resistance: Domestic Chemicals & Additives for Swimming Pools	BS EN ISO 10545-13	B min.	GA
Stain Resistance	BS EN ISO 10545-14	Min. Class 3 — Glazed	Class 5
UV Resistance	DIN 51094	No Visible Defects	Conforms
Reaction to Fire	Based on the decision 96/603/EC and its changes	A1 _{FL} /A1	A1 _{FL} /A1






Countertop Profiles


Countertops with a downstand thickness of between 40-100mm are supplied with precision cut mitred apron return edge, and employ vein matching where possible at panel joins.



Mitred Apron Return (downstand thickness: 40-100mm)

Our 12mm-thick countertops can be supplied with one of the following edge profiles:





Stocked & Stored in the UK

Domus holds 1,000sqm of slab stock across the Fabricated Porcelain Surfaces 1.0 collection. Stored at the specialist premises of our UK fabrication partner, this ensures immediate availability to respond to individual and smaller project requirements and safe and secure handling of the material at the point of order. Larger project volumes are expedited through an expert Logistics Team and delivered directly to our fabrication facilities.

Fabrication Services & Facilities

The modern facilities include 'state-of-the-art' CNC water jet and titanium cutting machinery with fully automated handling alongside extensive workshop facilities for the expert construction and finishing of all fabricated vanity units, kitchen surfaces, stairs, and tables. Everything required to construct the finished articles, including structure, accessories, and all raw materials, is available and laid out with an efficient workflow.



Contact Us

Call, Email, Online, Showrooms

DOMUS

t 020 8481 9500 fabrication@domusgroup.com domusgroup.com

Clerkenwell

23-25 Great Sutton Street Clerkenwell London EC1V ODN

Surrey (inc. Outlet)

3 Molesey Business Centre Central Avenue, West Molesey Surrey KT8 2QZ

Birmingham

Derwent Works Henrietta Street Birmingham B19 3AB

Battersea

60 Queenstown Road Battersea London SW8 3RY

Manchester (Boss Design)

25, The Lightwell27 Booth StreetManchester M2 4AF

Glasgow

Suite 2.02, McLellan Works 274 Sauchiehall Street Glasgow G2 3EH

