


DOMUS

# Fabricated Porcelain Surfaces 2.0

From complex cut-to-size requests to bespoke kitchens, bathrooms, offices and furniture, every designer and every project can now take advantage of the stunning beauty, unrivalled choice and superior technical performance of state-of-the-art porcelain stoneware.



Vanity Units



Kitchen Countertops




Furniture



Steps & Staircases



Cut-to-Size



Bespoke Products











# Fabricated Porcelain Surfaces 2.0 Overview

Click colour swatch to navigate



DFST 37




DFST 26



DFST 39




DFST 04



DFST 48




DFST 47




DFST 44




DFST 05



DFST 22



DFST 45



DFST 23





DFST 37 Glossy

# Bianco Lasa

Bianco Lasa is a sophisticated porcelain slab, 12mm thick, that meticulously replicates the appearance of white calcite marble. It features a pristine, crystalline base complemented by distinct, linear veining, offering a refined and contemporary aesthetic.



DOMUS

« Back to colours


Slab Size: 3200 x 1600mm  
Thickness: 12mm





# Black Granite

Black Granite offers a faithful and modern interpretation of classic igneous rocks, presented in 12mm-thick fabricated porcelain slabs. It's a sophisticated choice, ideally suited for a variety of interior applications where both elegance and performance are paramount.



DFST 47 Matt Leather

DOMUS

[« Back to colours](#)

Slab Size:	3200 x 1600mm
Thickness:	12mm





DFST 04 Matt Leather

# Cement Slab

Cement Slab offers 12mm-thick fabricated porcelain slabs that beautifully capture the subtly textured, industrial aesthetic of concrete. This range provides the sought-after contemporary look without the durability concerns typically associated with traditional concrete.



DOMUS

[« Back to colours](#)

**Slab Size:** 3200 x 1600mm  
**Thickness:** 12mm





# Cement Slab




DFST 05 Velvet Leather

DOMUS

[« Back to colours](#)

Slab Size: 3200 x 1600mm  
Thickness: 12mm





DFST 22 Matt / Glossy

# Marble Grey

Marble Grey is a sophisticated porcelain slab that expertly visualises traditional Imperiale marble. This range features a rich background, elegantly highlighted by distinct directional white veining, offering a classic aesthetic with the enhanced durability and practicality of porcelain.




DOMUS

[« Back to colours](#)

Slab Size: 3200 x 1600mm  
Thickness: 12mm





DFST 23 Matt / Glossy

# Marble Laurent

Marble Laurent offers an elegant and opulent aesthetic, presented in 12mm-thick fabricated porcelain slabs. The distinctive veining inherent to this range delivers a luxurious appearance, while the porcelain composition ensures exceptional durability and ease of maintenance.




DOMUS

[« Back to colours](#)

**Slab Size:** 3200 x 1600mm  
**Thickness:** 12mm





# Nature Mood Slab

Nature Mood Slab offers a dramatic, porcelain-replicated interpretation of water-eroded stones. This fabricated porcelain range delivers a powerful visual impact, capturing raw, organic beauty with the superior performance and resilience inherent to porcelain.



DFST 44 Matt / Glossy

DOMUS

[« Back to colours](#)

Slab Size: 3200 x 1600mm  
Thickness: 12mm





DFST 26 Matt

## Plimatech Slab

Plimatech Slab offers fabricated porcelain slabs that merge the technical benefits of porcelain stoneware with the natural appearance of Plima granite. This South Tyrolean pegmatite features a rough texture with crystalline formations and varied light-dark mottling.



DOMUS

[« Back to colours](#)

**Slab Size:** 3200 x 1600mm  
**Thickness:** 12mm





DFST 48 Silk

# Truth 1.0 Slab

Truth 1.0 Slab comprises 12mm-thick fabricated porcelain slabs that stunningly replicate exquisite French marble. This range features a distinctive interplay of soft white veins against rich tones, offering a sophisticated and luxurious aesthetic with the inherent durability of porcelain.



DOMUS

[« Back to colours](#)

Slab Size: 3200 x 1600mm  
Thickness: 12mm





DFST 45 Matt / Glossy

## Verdi Alpi

Verdi Alpi faithfully replicates the classic serpentine stone quarried in northwest Italy's Valle d'Aosta region. This range of fabricated porcelain slabs offers the rich aesthetic of natural stone with the enhanced durability and practicality inherent to porcelain.



DOMUS

[« Back to colours](#)

**Slab Size:** 3200 x 1600mm  
**Thickness:** 12mm





DFST 39 Matt / Glossy

# Yamuna

Yamuna is characterised by a delicate collaboration of fibrous white veins set against warm undertones. This fabricated porcelain slab range offers a refined aesthetic, providing the timeless appeal of natural stone with the superior durability and practical advantages of porcelain.



DOMUS

[« Back to colours](#)

**Slab Size:** 3200 x 1600mm  
**Thickness:** 12mm



# Technical Data

Unglazed Porcelain with Glass Fibre Mat Backing

## DIMENSION & SURFACE QUALITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Thickness	BS EN ISO 10545-2	± 5% (max. ± 0.5mm)	Conforms
Planarity (Flatness)	BS EN ISO 10545-2	± 0.50% (max. ± 2mm)	Conforms
Appearance	BS EN ISO 10545-2	> 95%	Conforms

All test results are based upon current test data provided by the manufacturer and are provided in good faith. Domus Group cannot be held responsible for any variation in the test data due to changes in manufacture or material characteristics. Errors and omissions excepted. Please refer to Domus Group Terms & Conditions of Sale. **August 2025.**


## PRODUCT QUALITY & DURABILITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Water Absorption	BS EN ISO 10545-3	≤ 0.5%	0.08% (Average Value)
Modulus of Rupture (Bending Strength)	BS EN ISO 10545-4	≥ 35 N/mm²	53 N/mm² (Average Value)
Breaking Strength	BS EN ISO 10545-4	≥ 7.5mm ≥ 1300 N	5000 N (Average Value)
Impact Resistance	BS EN ISO 14617-9		3.03 J (Average Value)
Resistance to Deep Abrasion (Unglazed Tiles)	BS EN ISO 10545-6	≤ 175mm³	140mm³ (Average Value)
Thermal Shock Resistance	BS EN ISO 10545-9	No Visible Defects	Resistant
Moisture Expansion	BS EN ISO 10545-10	Declared Value	0.1mm/m (Average Value)
Frost Resistance	BS EN ISO 10545-12	No Surface Alteration	Resistant
Chemical Resistance: Low Concentrations of Acids & Alkalis	BS EN ISO 10545-13	No Visible Defects	ULA: Matt ULB: Glossy
Chemical Resistance: Domestic Chemicals & Additives for Swimming Pools	BS EN ISO 10545-13	UB/GB min.	UA
Stain Resistance	BS EN ISO 10545-14	Declared Value: Unglazed	Class 3 & 4: GLossy Class 5: Matt
Lead Release & Cadmium Release	BS EN ISO 10545-15	Declared Value	Absent
Reaction to Fire	BS EN 13501-1		Bfl-s1, d0
Recycled Content			5.8%: DFST 04, 37, 39 & 48 16.1%: DFST 05, 22, 23, 26, 44, 45 & 47




# Countertop Profiles

Countertops with a downstand thickness of between 40-100mm are supplied with precision cut mitred apron return edge, and employ vein matching where possible at panel joins.




Mitred Apron Return  
(downstand thickness: 40-100mm)


Our 12mm-thick countertops can be supplied with one of the following edge profiles:




Bevelled Edge




Double Bevelled Edge




Shark Nose Edge




Double Pencil Edge



Sharp Shark Nose Edge



Bullnose Edge





## Stocked & Stored in the UK

---

Domus holds 1,000sqm of slab stock across the Fabricated Porcelain Surfaces 1.0 collection. Stored at the specialist premises of our UK fabrication partner, this ensures immediate availability to respond to individual and smaller project requirements and safe and secure handling of the material at the point of order. Larger project volumes are expedited through an expert Logistics Team and delivered directly to our fabrication facilities.

## Fabrication Services & Facilities

---

The modern facilities include 'state-of-the-art' CNC water jet and titanium cutting machinery with fully automated handling alongside extensive workshop facilities for the expert construction and finishing of all fabricated vanity units, kitchen surfaces, stairs, and tables. Everything required to construct the finished articles, including structure, accessories, and all raw materials, is available and laid out with an efficient workflow.





# Contact Us

---

*Call, Email, Online, Showrooms*

## DOMUS

t 020 8481 9500  
fabrication@domusgroup.com  
domusgroup.com

**Clerkenwell**

23-25 Great Sutton Street  
Clerkenwell  
London EC1V 0DN

**Surrey (inc. Outlet)**

3 Molesey Business Centre  
Central Avenue, West Molesey  
Surrey KT8 2QZ

**Birmingham**

Derwent Works  
Henrietta Street  
Birmingham B19 3AB

**Battersea**

60 Queenstown Road  
Battersea  
London SW8 3RY

**Manchester (Boss Design)**

25, The Lightwell  
27 Booth Street  
Manchester M2 4AF

**Glasgow**

Suite 2.02, McLellan Works  
274 Sauchiehall Street  
Glasgow G2 3EH

