



Engineered Flooring Stocked Items

Available with lead times of 2-7 days

March 2024

DOMUS



Floor: LX Hausys Decotile 30 EVLX 121-30 Matt

Contents

Engineered Flooring – Stocked Items

Pergo 190	4
Robur Fundamental 180	8
LX Hausys Decotile 30	12
LX Hausys Decotile 55	18
Additional ranges available with lead times of 1–3 weeks	24

*For full specification details, and to order samples,
email service@domusgroup.com*

Pergo 190

Engineered Wood — Stocked Items



1 Colour / 1 Finish / 1 Size

The stocked item WDPE 1903 from Pergo 190 is a precision-manufactured engineered wood colour produced in a beautiful natural tone, in a plank width of 190mm. Recommended for use on internal floors only.





WDPE 1903

Tinted

Stocked Sizes



	Size (mm)	Thickness (Lamella)	Finish	Colour Availability
1	190 x 1820	13 (2.5)	Matt UV Lacquer	WDPE 1903

Swatch colours may vary from original. Samples should be requested.

Specification

Materials:	Oak top layer. HDF Mastercore. Spruce or pine backing
Grade:	Accent
Brushing:	Brushed
Finish:	Matt Lacquer, UV fixed
Technology:	StayClean & StayClean+
Edge Detail:	2-way bevel (long edges)
Certification:	PEFC
Application:	Internal use only. Suitable with underfloor heating
Installation:	PerfectFold™ 3.0 click system Recommended for floated or bonded installation
Treatment:	Tinted

DOMUS
WOOD

service@domuswood.com | t: 020 8481 9500 | domuswood.com



Robur Fundamental 180

Engineered Wood — Stocked Items



Floor: WDRO 818 Natural Oil

4 Colours / 2 Finishes / 1 Size

Robur Fundamental 180 is a range of PEFC-certified, 12mm-thick, engineered European oak in a 180mm-wide plank format. It is forested and produced to exacting and responsible standards.





WDRO 802

Tinted



WDRO 818

Tinted



WDRO 801

Tinted



WDRO 804

Tinted

Stocked Sizes



	Size (mm)	Thickness (Lamella)	Finish	Colour Availability
1	180 x 2200	12 (2.5)	Matt UV Lacquer Natural Oil	WDRO 801, 802 & 804 WDRO 818

Swatch colours may vary from original. Samples should be requested.

Specification

Material:	European Oak (<i>Quercus robur</i>) 12mm (9.5mm engineered spruce base with 2.5mm oak surface layer)
Grade:	Accent
Brushing:	Brushed
Finishes:	Matt UV Lacquer (WDRO 801, 802 & 804) Natural Oil (WDRO 818)
Edge Detail:	2-way micro-bevel
Certification:	PEFC
Application:	Internal use only. Suitable with underfloor heating
Installation:	5G™ glueless click joint system Recommended for floated or bonded installation
Treatment:	Tinted

DOMUS
WOOD

service@domuswood.com | t: 020 8481 9500 | domuswood.com



LX Hausys Decotile 30

Engineered Vinyl – Stocked Items



Floor: EVLX 101-30 Matt

30 Colours / 1 Finish / 2 Sizes


From trend-setting grey wood, through contemporary mid tones to more traditional dark wood and a vast array of stone effects, the diversity of LX Hausys Decotile 30 makes it the perfect choice for a variety of installations.




Floor: EVLX 115-30 Matt



EVLX 101-30




EVLX 105-30




EVLX 107-30




EVLX 108-30




EVLX 102-30




EVLX 118-30




EVLX 112-30




EVLX 111-30



EVLX 122-30



EVLX 116-30




EVLX 104-30




EVLX 120-30




EVLX 103-30




EVLX 110-30




EVLX 109-30



EVLX 119-30




EVLX 115-30




EVLX 113-30




EVLX 114-30



EVLX 121-30



EVLX 106-30



EVLX 117-30

Stocked Sizes: Wood-Effect



	Size (mm)	Thickness	Finish	Colour Availability
1	Dryback 180 x 1200	2	Matt	EVLX 101-30 to 122-30

Swatch colours may vary from original. Samples should be requested.

Specification


Format:	Plank
Treatment:	PUR
Edge Detail:	Square-edged (no bevel)
Sustainability:	100% phthalate-free. Low VOC.
Durability:	Class 23 Domestic Class 31 Commercial
Application:	Internal use only. Suitable with underfloor heating
Installation:	Recommended for bonded installation
Wear Layer:	0.3mm
Residential Warranty:	25 years
Commercial Warranty:	7 years

DOMUS


service@domusgroup.com | t: 020 8481 9567 | domusgroup.com




EVLX 151-30



EVLX 157-30




EVLX 154-30



EVLX 152-30




EVLX 155-30



EVLX 156-30



EVLX 158-30



EVLX 153-30

Sizes: Stone-Effect



	Size (mm)	Thickness	Finish	Colour Availability
1	Dryback 300 x 600	2	Matt	EVLX 151-30 to 158-30

Swatch colours may vary from original. Samples should be requested.

Specification

Format:	Tile
Treatment:	PUR
Edge Detail:	Square-edged (no bevel)
Sustainability:	100% phthalate-free. Low VOC.
Durability:	Class 23 Domestic Class 31 Commercial
Application:	Internal use only. Suitable with underfloor heating
Installation:	Recommended for bonded installation
Wear Layer:	0.3mm
Residential Warranty:	25 years
Commercial Warranty:	7 years

DOMUS

service@domusgroup.com | t: 020 8481 9567 | domusgroup.com

LX Hausys Decotile 55

Engineered Vinyl – Stocked Items



30 Colours / 1 Finish / 2 Sizes


From trend-setting grey wood, through contemporary mid tones to more traditional dark wood and a vast array of stone effects, the diversity of LX Hausys Decotile 55 makes it the perfect choice for a variety of installations.




Floor: EVLX 112-55 Matt



EVLX 101-55



EVLX 105-55




EVLX 107-55




EVLX 108-55




EVLX 102-55




EVLX 118-55




EVLX 112-55




EVLX 111-55



EVLX 122-55



EVLX 116-55




EVLX 104-55




EVLX 120-55



EVLX 103-55




EVLX 110-55




EVLX 109-55



EVLX 119-55




EVLX 115-55




EVLX 113-55




EVLX 114-55



EVLX 121-55



EVLX 106-55



EVLX 117-55

Stocked Sizes: Wood-Effect



	Size (mm)	Thickness	Finish	Colour Availability
1	Dryback 180 x 1200	2.5	Matt	EVLX 101-55 to 122-55

Swatch colours may vary from original. Samples should be requested.

Specification


Format:	Plank
Treatment:	PUR
Edge Detail:	4-way bevel
Sustainability:	100% phthalate-free. Low VOC.
Durability:	Class 23 Domestic Class 33 Commercial Class 42 Industrial
Application:	Internal use only. Suitable with underfloor heating
Installation:	Recommended for bonded installation
Wear Layer:	0.55mm
Residential Warranty:	30 years
Commercial Warranty:	10 years

DOMUS


service@domusgroup.com | t: 020 8481 9567 | domusgroup.com




EVLX 151-55



EVLX 157-55




EVLX 154-55



EVLX 152-55




EVLX 155-55



EVLX 156-55



EVLX 158-55



EVLX 153-55

Stocked Sizes: Stone-Effect



	Size (mm)	Thickness	Finish	Colour Availability
1	Dryback 300 x 600	2.5	Matt	EVLX 151-55 to 158-55

Swatch colours may vary from original. Samples should be requested.

Specification





Format:	Tile
Treatment:	PUR
Edge Detail:	4-way bevel
Sustainability:	100% phthalate-free. Low VOC.
Durability:	Class 23 Domestic Class 33 Commercial Class 42 Industrial
Application:	Internal use only. Suitable with underfloor heating
Installation:	Recommended for bonded installation
Wear Layer:	0.55mm
Residential Warranty:	30 years
Commercial Warranty:	10 years

DOMUS

service@domusgroup.com | t: 020 8481 9567 | domusgroup.com





Ranges available with lead times of 1-3 weeks

Engineered Vinyl



Ranges available with lead times of 1-3 weeks

Engineered Laminate



Contact Us

Call, Email, Online, Showrooms



DOMUS

t 020 8481 9500
service@domusgroup.com
domusgroup.com

Clerkenwell

23-25 Great Sutton Street
Clerkenwell
London EC1V 0DN

Birmingham

Derwent Works
Henrietta Street
Birmingham B19 3AB

Manchester (Boss Design)

25, The Lightwell
27 Booth Street
Manchester M2 4AF

Surrey (inc. Outlet)

3 Molesey Business Centre
Central Avenue, West Molesey
Surrey KT8 2QZ

Battersea

60 Queenstown Road
Battersea
London SW8 3RY

Glasgow

Suite 2.02, McLellan Works
274 Sauchiehall Street
Glasgow G2 3EH