

# Kaza Tre

Concrete 3D



Wall: DKCN 01 Option 0, Option 1, Option 2 & Option 3 Matt

**30 Colours / 3 Finishes / 5 Sizes**

Kaza Tre is the result of precisely rendered angular contours that harness the beauty of symmetry with the dynamic interplay of depth, light and shadow with the energetic movement of geometric flow. Each of Kaza Tre's symmetrical tile designs is geometrically congruent.

**Design** Next Ship




Wall: DKCN 26 Option 2 Matt



Wall: DKCN 54 Option 0 & Option 1 Metallic



Wall: DKCN 06 Option 1, Option 2 & Option 3 Matt



*Option 1*



*Option 2*



*Option 3*




*Option 0*




*Option 1/2 (Half)  
Left & Right*







## Sizes



	Size (mm)	Thickness	Finish	Colour Availability
1	Option 1 213 x 184	41	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
	Option 1 213 x 184	26	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
2	Option 2 213 x 184	41	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
	Option 2 213 x 184	26	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
3	Option 3 213 x 184	41	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
	Option 3 213 x 184	26	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
4	Option 0 213 x 184	7	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
5	Option 1/2 Left 184 x 106	7	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56
	Option 1/2 Right 184 x 106	7	Matt Gloss Metallic	DKCN 01-06, 14, 17, 22, 26-40 DKCN 01-06, 14, 17, 22, 26-40 DKCN 51, 52, 53, 54, 55 & 56

Swatch colours may vary from original. Samples should be requested.

Swatches shown in the Option 3 format



**DOMUS**

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com

# Kaza Tre

Technical Data

**Product Type:** Concrete Tile

**Use:** Internal & External Walls (External panels are pre-sealed)

**Product Code:** DKCN

## DIMENSION & SURFACE QUALITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Thickness	BS EN ISO 14617-16 (2005)	± 0.5mm	Conforms
Size Accuracy	BS EN ISO 14617 -16 (2005)	± 0.7mm	Conforms
Surface Quality	BS EN ISO 14617 -16 (2005)	as required	Conforms

All test results are based upon current test data provided by the manufacturer and are provided in good faith. Domus Group cannot be held responsible for any variation in the test data due to changes in manufacture or material characteristics. Errors & omissions excepted. Please refer to Domus Group Terms & Conditions of Sale. Dec. 2020

Technical Characteristics	Industry Standards	Actual Value
Water absorption	BS EN ISO 15285:2008	W1
Frost resistance	BS EN ISO 14617-5 (2012)	98%
Frost Resistance (salt medium)	BS EN ISO 12528:2008	92%
Impact resistance	BS EN ISO 14617-9 (2005)	5J
Flexural Strength	BS EN ISO 15285:2008	F1
Reaction to fire	BS EN ISO 15285:2008	Class A1
Recycled content		Maximum 30%



**DOMUS**

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com