

Quintessential 50mm


External XT / Porcelain Stone



5 Colours / 1 Finish / 8 Sizes

Weighing over 110kg/sqm, Quintessential 50mm is the perfect range for use on pedestal systems where wind uplift is a concern. Available in 8 formats for pedestal or traditional fixing, with 2 sizes having the option of unique glazed edges.





Floor: DSQ 02 Natural



Floor: DSQ 01 Natural



DSQ 02




DSQ 01



DSQ 03




DSQ 04



DSQ 05


Sizes



	Size (mm)	Thickness	Finish	Colour Availability
1	600 x 600 (N)	50	Natural	All colours
2	600 x 400 (N)	50	Natural	All colours
3	600 x 400 (N) with side design	50	Natural	All colours
4	400 x 200 (N)	50	Natural	All colours
5	400 x 200 (N) with side design	50	Natural	All colours
6	200 x 200 (N) with side spacer	50	Natural	All colours
7	200 x 100 (N) with side spacer	50	Natural	All colours
8	100 x 100 (N) with side spacer	50	Natural	All colours


(N) Nominal size – pressed edge. 2mm tolerance allowed within each calibre. Full calibre table available on request. Swatch colours may vary from original. Samples should be requested. DSQ 03 has a higher shade variation than other colours and is recommended to be dry-laid and sorted before fixing to ensure the required aesthetic look is achieved.

Side Design



The 50mm-thick surfaces are available with "side design", that lends the appearance of natural products in the 600x400mm and 400x200mm sizes.

Side Spacer



Designed to reduce laying times in significant urban contexts, the "Smart Spacer System" includes spacers in the body of the tile that determine the minimum joint to adopt. The simple act of laying the tiles side-by-side is sufficient to obtain perfectly regular joints. "Cross spacers" will be needed if larger joints are required.



DOMUS

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com