# **Dechirer Glass**

Glass



### 5 Colours / 1 Finish / 1 Mosaic

Designed by Patricia Urquiola, Dechirer Glass is a glass mosaic range that mimics the colours, finish and joints of concrete. The colour palette is composed of neutral tones that allows the creation of changeable spaces, harmonic and enchanting.

Mutina





DTDM 01 Mosaic





DTDM 03 Mosaic




DTDM 04 Mosaic



DTDM 05 Mosaic

### **Sizes**



|   | Size (mm)                          | Thickness | Finish | Colour Availability |
|---|------------------------------------|-----------|--------|---------------------|
| 1 | Mosaic 9 x 9<br>on 300 x 300 sheet | 4.5       | Glass  | All colours         |

Swatch colours may vary from original. Samples should be requested.





## **Dechirer Glass**

Technical Data

Product Type: Glass Mosaic

Use: Walls

Product Code: DTDM

### PRODUCT QUALITY & DURABILITY

| Technical Characteristics                         | Industry Standards                                | Requirement | Actual Value         |
|---|---|-------------|----------------------|
| Water absorption                                  | BS EN ISO 10545-3                                 | _           | 0%                   |
| Thermal shock resistance                          | BS EN ISO 10545-9                                 | _           | Resistant            |
| Crazing resistance                                | BS EN ISO 10545-11                                | _           | Resistant            |
| Chemical resistance:                              |   |             |                      |
| Low concentrations of acids & alkalis             | BS EN ISO 10545-13                                | _           | LA                   |
| High concentrations of acids & alkalis            | BS EN ISO 10545-13                                | _           | НА                   |
| Domestic chemicals & additives for swimming pools | BS EN ISO 10545-13                                | -           | Α                    |
| Stain resistance                                  | BS EN ISO 10545-14                                | _           | Class 5              |
| Reaction to fire                                  | Based on the decision<br>96/603/EC and its change | s           | A1 <sub>FL</sub> /A1 |
| Recycled content                                  |   |             | 40%                  |



All test results are based upon current test data provided by the manufacturer and are provided in good faith. Domus Group cannot be held responsible for any variation in the test data due to changes in manufacture or material characteristics. Errors & omissions excepted. Please refer to Domus Group Terms & Conditions of Sale. January 2023



