

# Allure

*Porcelain Stone*



Wall: DLRE 05 Soft Textured

**4 Colours / 2 Finishes / 6 Sizes / 5 Mosaics**

With delicate, thoughtful graphics, the Allure range provides a true stone replica with a serene ambience. It can be combined with the subtle textures of Allure Wall to create a considered, tranquil aesthetic.




Wall: DLRE 04 Natural Grip





Splashback & Counter: DLRE 03 Soft Textured



Floor: DLRE 02 Natural Grip

# Sizes




DLRE 05




DLRE 02



DLRE 03




DLRE 04




	Size (mm)	Thickness	Finish	Colour Availability
1	1198 x 1198 (R)	9	Soft Textured Natural Grip	All colours All colours
2	1198 x 598 (R)	9	Soft Textured Natural Grip	All colours All colours
3	898 x 898 (R)	9	Soft Textured Natural Grip	All colours All colours
4	898 x 448 (R)	9	Soft Textured Natural Grip	All colours All colours
5	598 x 598 (R)	9	Soft Textured Natural Grip	All colours All colours
6	598 x 298 (R)	9	Soft Textured Natural Grip	All colours All colours

(R) Rectified size – squared edge with bevel. Mosaics shown on next page.  
Swatch colours may vary from original. Samples should be requested.


Mosaic 25 x 25mm




DLRE 05



DLRE 02




DLRE 03




DLRE 04


Mosaic 48 x 48mm




DLRE 05



DLRE 02



DLRE 03



DLRE 04

Muretto Mosaic



DLRE 05



DLRE 02



DLRE 03



DLRE 04

3D Muretto Mosaic




DLRE 05



DLRE 02



DLRE 03



DLRE 04


Deco Mosaic




DLRE 05



DLRE 02




DLRE 03




DLRE 04

# Mosaics



	Size (mm)	Thickness	Finish	Colour Availability
1	Mosaic 25 x 25 on 298 x 298 sheet	9	Soft Textured Natural Grip	All colours All colours
2	Mosaic 48 x 48 on 298 x 298 sheet	9	Soft Textured Natural Grip	All colours All colours
3	Muretto Mosaic on 298 x 298 sheet	9	Soft Textured Natural Grip	All colours All colours
4	3D Muretto Mosaic on 600 x 150 sheet	9	Soft Textured Natural Grip	All colours All colours
5	Deco Mosaic on 598 x 598 sheet	9	Soft Textured Natural Grip	All colours All colours

Switch colours may vary from original. Samples should be requested. Special pieces shown on next page.








Wall: DLRE 04 Soft Textured

## Special Pieces

---

	Size (mm)	Thickness	Finish	Colour Availability
1	Skirting 1198 x 48	9	Soft Textured Natural Grip	All colours All colours
2	Skirting 898 x 48	9	Soft Textured Natural Grip	All colours All colours
3	Skirting 598 x 48	9	Soft Textured Natural Grip	All colours All colours
4	Step Tread 1198 x 333 x 30	9	Soft Textured Natural Grip	All colours All colours
5	Step Tread 898 x 333 x 30	9	Soft Textured Natural Grip	All colours All colours
6	Step Tread 598 x 333 x 30	9	Soft Textured Natural Grip	All colours All colours
7	Angle Step Tread 1198 x 333 x 30	9	Soft Textured Natural Grip	All colours All colours
8	Angle Step Tread 898 x 333 x 30	9	Soft Textured Natural Grip	All colours All colours
9	Angle Step Tread 598 x 333 x 30	9	Soft Textured Natural Grip	All colours All colours

Swatch colours may vary from original. Samples should be requested.



V2 - Moderate  
Shade Variation


**DOMUS**

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com


# V2 - Moderate Shade Variation




DLRE 05 Soft Textured



DLRE 02 Soft Textured




DLRE 03 Soft Textured




DLRE 04 Soft Textured




DLRE 05 Natural Grip



DLRE 02 Natural Grip



DLRE 03 Natural Grip



DLRE 04 Natural Grip

# Allure

Technical Data

**Product Type: Glazed Porcelain (BS EN 14411 – Group BIa)**

**Use: Floors & Walls**

**Product Code: DLRE**

## DIMENSION & SURFACE QUALITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Length & width	BS EN ISO 10545-2	± 0.60% (max. ±2.0mm)	Conforms
Thickness	BS EN ISO 10545-2	± 5% (max. ±0.5mm)	Conforms
Edge straightness	BS EN ISO 10545-2	± 0.50% (max. ±1.5mm)	Conforms
Orthogonality (squareness)	BS EN ISO 10545-2	± 0.50% (max. ±2.0mm)	Conforms
Planarity (flatness)	BS EN ISO 10545-2	± 0.50% (max. ±2.0mm)	Conforms
Appearance	BS EN ISO 10545-2	> 95%	Conforms

## SLIP RESISTANCE

Technical Characteristics	Industry Standards	Requirement	Finish
Areas with footwear	BS EN ISO 10545-17 (DIN 51130)	R9 from 3° to 10° R11 from 19° to 27°	Soft Textured Natural Grip
Areas with bare feet	DIN 51097	A over 12° to 18° C over 24°	Soft Textured Natural Grip
Slip resistance (Pendulum) Coefficient of friction	BS EN 16165	Test results upon request	

## PRODUCT QUALITY & DURABILITY

Technical Characteristics	Industry Standards	Requirement	Actual Value
Water absorption	BS EN ISO 10545-3	≤ 0.5%	Conforms
Modulus of rupture (bending strength)	BS EN ISO 10545-4	≥ 35 N/mm <sup>2</sup>	≥ 52 N/mm <sup>2</sup> (typical value)
Breaking strength	BS EN ISO 10545-4	≥ 1300 N	≥ 2500 N (typical value)
Resistance to surface abrasion	BS EN ISO 10545-7	PEI	Class 3 – DLRE 03 & 04 Class 4 – DLRE 01 & 02
Crazing resistance	BS EN ISO 10545-11	No visible signs	Resistant
Frost resistance	BS EN ISO 10545-12	No surface alteration	Resistant
Chemical resistance: Low concentrations of acids & alkalis	BS EN ISO 10545-13	No visible defects	GLA
High concentrations of acids & alkalis	BS EN ISO 10545-13	No visible defects	GHA
Domestic chemicals & additives for swimming pools	BS EN ISO 10545-13	GB min.	GA
Stain resistance	BS EN ISO 10545-14	Min. Class 3	Class 5
Reaction to fire	Based on the decision 96/603/CE and its changes	A1 <sub>FL</sub> /A1	A1 <sub>FL</sub> /A1
Recycled content			30%

\*PEI classifications  
 PEI 1 – Very light traffic  
 PEI 2 – Light traffic  
 PEI 3 – Light to moderate traffic  
 PEI 4 – Moderate to heavy traffic  
 PEI 5 – Heavy to extra heavy traffic



All test results are based upon current test data provided by the manufacturer and are provided in good faith. Domus Group cannot be held responsible for any variation in the test data due to changes in manufacture or material characteristics. Errors & omissions excepted. Please refer to Domus Group Terms & Conditions of Sale April 2024

**DOMUS**

service@domusgroup.com | t: 020 8481 9500 | domusgroup.com